



## Veneer Lathe R3

适用于小直径木段的无主轴旋切车床



## 单板车床 R3 - 充分利用小直径的木段

无轴重型单板车床 R3 可以高效率、高质量地旋切小直径木段（包括木芯）。有三种标准尺寸：4/3 英尺、5/4 英尺和 8 英尺。所有 R3 系列车床都是北欧风格设计，在劳特自己的工厂生产和测试。

该车床独特的最佳旋切几何形状 (OPG) 可确保每个木段的良好出材率，其厚度精度高，是市场上任何其他车床无法比拟的。该车床为 100% 电动车床，可最大限度减少能耗，并最大限度提高运动的可控性。

利用高旋切速度，并得益于车床的自动化操作，从而实现高效率。通过触摸屏用户界面以数字方式调整旋切设置，确保获得最佳的单板质量。



图像和视频



## 可下载资料



[下载 PDF](#)



[下载 PDF](#)

## 技术规格

木段直径 (毫米)	80 - 450
最小木芯直径 (毫米)	30
旋切速度最高为 (米/分钟)	120
换刀	手动
木段标称长度 (英尺)	3 - 8
电动辊筒杆	<input checked="" type="checkbox"/>
旋切方法	无主轴

# 旋切机

## Veneer Lathes - accuracy in peeling for all raw materials

The quality and yield of peeled veneer are essential in defining the overall efficiency of veneer, plywood and LVL production. If you produce low quality or lose veneer during peeling you cannot restore them easily during the later stages of the process. The quality of veneer is affected by multiple factors that are controlled in different phases of peeling.

All Raute lathes utilize an optimal peeling geometry (OPG) that enables dynamic adjustments for producing strong veneer with a good thickness tolerance and smooth surface throughout the veneer ribbon. You don't need to compromise on quality or capacity - Raute technology maintains both and also optimizes face veneer and full sheet recovery. The lathes are designed for safe and easy use and made from high-quality components built to last.

Veneer Lathe R7 responds to all your peeling needs with speed and quality. Veneer Lathe R7-Hybrid peels with and without spindles to maximize veneer recovery from surface to the smallest possible core. Veneer Lathe R5 is your proven solution for high-quality veneer peeling with spindles. The spindleless Veneer Lathe R3 allows you to make the most of small diameter blocks and peel with an unmatched thickness tolerance.



raute.com

Making Wood Matter